

RESOLUTION No. 24-210

A RESOLUTION OF THE MAYOR AND THE CITY COUNCIL OF THE CITY OF DORAL, FLORIDA, APPROVING A SPECIAL EVENT PERMIT REQUESTED BY ANTHONY ALBELO CEO OF LOUD & LIVE INC. TO HOST THE HOUSE OF HORROR CARNIVAL FROM THURSDAY, SEPTEMBER 26, 2024 THROUGH THURSDAY, OCTOBER 31, 2024 VARYING IN TIMES FROM 5:30 PM TO 12:00 AM ACCORDING TO SCHEDULE PROVIDED IN EXHIBIT "A", AT 1625 NW 107 AVE DORAL, 33172; PROVIDING FOR INCORPORATION OF RECITALS; AND PROVIDING FOR AN EFFECTIVE DATE

WHEREAS, Anthony Abelo (the "Applicant") seeks approval from the City of Doral of a special event permit to host the "House of Horror Carnival" (the event) at 1625 NW 107 Avenue, Doral, 33172; and

WHEREAS the purpose of the "House of Horror Carnival" event is to provide the public with a Halloween themed attraction featuring amusement rides, and haunted houses; and

WHEREAS, this recurrent event is a South Florida premier Halloween themed attraction backed by a valued campaign promoting the City of Doral; and

WHEREAS, staff recommends that the Mayor and City Council approve the proposed special event permit to host the "House of Horror Haunted Carnival" from Thursday, September 26, 2024 through Thursday, October 31, 2024 at 1625 NW 107 Ave, Doral, FL 33172.

NOW, THEREFORE, BE IT RESOLVED BY THE MAYOR AND THE CITY COUNCIL OF THE CITY OF DORAL, FLORIDA, AS FOLLOWS:

Section 1. Recitals. The above recitals are true and correct and incorporated herein.

Section 2. Approval. The special event permit for the “House of Horror Carnival”;

is hereby approved subject to the following conditions:


1. The Applicant shall secure all necessary and required building, electrical, plumbing, or other permits, and shall immediately furnish proof of such permits upon request from the city.
2. The Applicant shall be required to have all inspections and approvals prior to the event date.
3. Sanitary facilities shall be provided by the Applicant and shall be of the type and in a sufficient number as to meet the requirements established by the Building Department.
4. The Applicant is responsible for providing adequate security at the special event. The police department may require the Applicant to provide and pay for security personnel for crowd control and traffic direction purposes.
5. The county fire rescue department may require the Applicant to provide and pay for fire watch personnel.
6. The Applicant shall comply with comments made by the City of Doral Police Department and pay all applicable fees no later than 14 days in advance of the event.

Section 3. Effective Date. This Resolution shall take effect immediately upon adoption.

The foregoing Resolution was offered by Councilmember Pineyro who moved its adoption. The motion was seconded by Vice Mayor Puig-Corve and upon being put to a vote, the vote was as follows:

| | |
|-----------------------------|-----|
| Mayor Christi Fraga | Yes |
| Vice Mayor Oscar Puig-Corve | Yes |
| Councilwoman Digna Cabral | Yes |
| Councilman Rafael Pineyro | Yes |
| Councilwoman Maureen Porras | Yes |

PASSED AND ADOPTED this 11 day of September, 2024.



CHRISTI FRAGA, MAYOR

ATTEST:



CONNIE DIAZ, MMC
CITY CLERK

APPROVED AS TO FORM AND LEGAL SUFFICIENCY
FOR THE USE AND RELIANCE OF THE CITY OF DORAL ONLY:



LORENZO COBIELLA
GASTESI, LOPEZ & MESTRE, PLLC
CITY ATTORNEY

EXHIBIT “A”



RECEIVED

By Seida Feliu at 2:48 pm, Jul 23, 2024

5

Location Type

Public Property Private Property

**City of Doral
Outdoor Event Application**

Special Event Name: House of Horror Carnival
Event Organizer: Loud & Live Inc. Event Address: 1625 NW 107 Ave
City: Doral State: FL Zip Code: 33172 Dates: 09/26/24 to 10/31/24
Event Hours: From see Attached schedule (am/pm) to see Attached schedule (am/pm) Estimated Attendance: 60,000

Applicant Information

Applicant's Name: Anthony Albelo Title: CEO
Applicant Address: 2301 NW 87 Ave.; 6th Floor City: Doral State: FL
Zip Code: 33172 Telephone: 305.206.8252 Email: talbelo@loudlive.com

Promoter/Company Information

Organizer Name: Loud & Live Inc.
Organizer Address: 2301 NW 87 Ave.; 6th Floor City: Doral State: FL
Telephone: 305.206.8252 Email: talbelo@loudlive.com



HOUSE OF HORROR HAUNTED CARNIVAL | 2024

Event Location:

- Miami International Mall
1625 NW 107 Avenue
Doral, FL 33172

Event Dates:

- Thursday, September 26th, 2024 - Tuesday, October 31st, 2024

Hours of Operation:

- Monday's: CLOSED
- Tuesday's: 6:00PM- 11:00PM
- Wednesday's: 6:00PM - 11:00PM
- Thursday's: 6:00PM - 11:00PM
- Friday's: 5:30PM - Midnight
- Saturday's: 5:30PM - Midnight
- Sunday's: 5:30PM-11:00PM

General Event Information

TYPE OF EVENT:

Grand Opening Parade 5K Run/Walk Corporate/Business Groundbreaking/New Project

Athletic/Sports Holiday Themed Store Anniversary Other (specify): _____

SPECIAL CONSIDERATIONS:

Animal Cooking Alcoholic Beverages Road Closures Firework Food Trucks

Other (specify): Amusement Attractions

Event Description: House of Horror Haunted Carnival is a Halloween event featuring amusement rides, and haunted houses held at the old Sears building at Miami International Mall, Surrounding parking lot areas.

Purpose of Event: House of Horror Haunted Carnival is South Florida's premier Halloween themed attraction backed by a \$500k valued campaign promoting the City of Doral.

Period of Requested Use (Including Set-up / Tear-down and Clean-up time):

From _____ To _____

Yes No

- Is this event open to the general public?
- Will there be an admission fee? If yes, please provide amount(s): \$20-\$40
- Will alcoholic beverages be served/sold Yes No Type Various Price Varies
- Will you have music? Live Taped Type of music TBD
- Will there be on-site registration?
- Will there be sponsors or vendors on-site? If yes, please list them below.

TBD

Outdoor Event Budget

Detailed Revenue

| Source | Price | Total Amount of Income |
|---------------|----------|------------------------|
| Admission | \$ 42 | \$ 2,502,600 |
| Concessions | \$ 1,000 | \$ 42,000 |
| | | |
| | | |
| | | |
| Total Revenue | | \$ 2,544,600.00 |

Detailed Expenditures

| Item | Total Amount of Expense | |
|-----------------------|-------------------------|--------------|
| Amusement Attractions | \$ 950,000 | |
| Marketing | \$ 500,000 | |
| Operations | \$ 1,063,600 | |
| | | |
| | | |
| Total Expenses | | \$ 2,513,600 |
| Net Income Expected | | \$ 31,000 |

Outdoor Event History

List any events sponsored by your organization and where they were held. Please include, the event name, date, total attendance, and any incidents during the event (if any).

1. Latin GRAMMY Accoustic Sessions (Miami 2017) 1,000 Guests

Latin GRAMMY Accoustic Sessions (LA 2017) 1,000 Guests

Latin GRAMMY Accoustic Sessions (Dallas 2017) 1,000 Guests

2. Latin GRAMMY Street Party (Miami 2003 - 2005) 25,000 Guests

Latin GRAMMY Street Party (Dallas 2015) 40,000 Guests

3. McDonald's Privat Latin GRAMMY Concert (Las Vegas 2025 - 2018) 30,000 Guests

House of Horror Haunted Carnival (Doral 2004 - 2018, 2021 & 2022) 55,000 Guests

Building Department Initial Review

Building Trade

Will your event require tents? Size: various Quantity: 20 Yes No

If larger than 10X10, please explain how the tent(s) will be grounded? Tents will have water barrels and/or concrete holding them down.

Will your event require a stage, or platform? Size: _____ Quantity: _____

Other temporary structure(s)? Please, explain: _____

Office Use Only

Permit Required: Yes No Staff: _____ Date: _____

Electrical Trade

Will a generator be used? Size (Watts): 400 KVA & 150 KVA _____ Quantity: 5 / 3 Yes No

Will light towers be used? Quantity: 6 Yes No

Any other electrical need(s) not specified? Please, explain: _____

Office Use Only

Permit Required: Yes No Staff: _____ Date: _____

Plumbing Trade

What type of restroom facilities will be provided? Existing Building Portable Toilets

What is the distance of the path to the restrooms nearest the main event? 50 (ft.)
(Restrooms located more than 500 feet from general event area will require a permit)

Office Use Only

Permit Required: Yes No Staff: _____ Date: _____

Public Works Department
Traffic Impact Initial Review

Will your event involve any partial or complete road/lane closures? Yes No
if yes, please provide additional information below.

Will your event involve any partial or complete sidewalk closures? Yes No

Proposed event will occupy: One lane Two Lanes Half Street Full Street

How many of the following? Vehicles ____ Pedestrians ____

| |
|--|
| Street Name: _____ |
| From: _____ to _____ |
| Beginning Date: _____ Time: _____ Ending Date: _____ Time: _____ |
| Street Name: _____ |
| From: _____ to _____ |
| Beginning Date: _____ Time: _____ Ending Date: _____ Time: _____ |
| Street Name: _____ |
| From: _____ to _____ |
| Beginning Date: _____ Time: _____ Ending Date: _____ Time: _____ |

You may be required to hire off-duty police officers for traffic control and ensure the safety of participants and/or spectators.

Emergency vehicles must have access without delay.

Office Use Only

MOT Permit Required: Yes No Staff: _____ Date: _____


Loud ^{And} Live

July 17, 2024


City of Doral
8401 NW 53rd Terrace
Doral, Fl 33166

I (We) agree to hold the City of Doral, its agent and authorized personnel harmless and relieve them from any responsibility or liability for any legal action or damage, cost or expense (including attorney's fees) resulting from damage and/ or personal injury that should occur on the premises.

Sincerely,



Anthony Albelo




The foregoing instrument was acknowledged before me this 17th day of JULY 2024, by Anthony Albelo.
Personally known to me ✓
Rebecca Lopez

Loud ^{And} Live


City of Doral
8401 NW 53rd Terrace
Doral, Fl 33166

I (We) agree to hold the City of Doral, its agent and authorized personnel harmless and relieve them from any responsibility or liability for any legal action or damage, cost or expense (including attorney's fees) resulting from damage and/ or personal injury that should occur on the premises.

Sincerely,



Anthony Albello



The foregoing instrument was acknowledged before me this 17th day of JULY 2024, by Anthony Albello.
Personally known to me ✓

Rebecca Lopez



Ron DeSantis, Governor

Melanie S. Griffin, Secretary



STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

DIV OF ALCOHOLIC BEVERAGES & TOBACCO

THE CATERER HEREIN IS LICENSED UNDER THE
PROVISIONS OF CHAPTER 565, FLORIDA STATUTES

SERIES: 13CT

CONSUMPTION ON PREMISES ONLY

LIVE CONCESSIONS LLC

LIVE CONCESSIONS LLC
2301 NW 87TH AVENUE 6TH FLOOR
DORAL FL 33172

LICENSE NUMBER: BEV2336794

EXPIRATION DATE: MARCH 31, 2025

Always verify licenses online at [MyFloridaLicense.com](https://www.MyFloridaLicense.com)

ISSUED: 04/04/2024

Do not alter this document in any form.


This is your license. It is unlawful for anyone other than the licensee to use this document.



SPECIAL EVENT LIFE SAFETY PACKAGE

N W 19 ST HOUSE OF HORROR HAUNTED CARNIVAL 2024

SEE PLAN LS 103 FOR ENLARGED




GENERAL SITE LIFE SAFETY NOTES:

1. ALL GATES STAFFED WITH SECURITY
2. NO GATES TO BE LOCKED DURING SHOW HOURS
3. SITE HAS LIGHT POST TO PROVIDE ILLUMINATION
4. MAINTAIN 1 FOOT CANDLE ILLUMINATION AT GROUND LEVEL
5. ENTRANCE GATES TO BE MONITORED FOR GUEST COUNTS
6. EXIT EGRESS PATHS TO REMAIN CLEAR AT ALL TIMES
7. NO SMOKING SIGNS POSTED IN ALL CANOPIES & HAZARD AREAS
8. ALL OTHER AREAS ARE OPEN AIR OCCUPANCIES
9. EXIT WIDTH CHECKED FOR CALCULATED OCCUPANCY
10. RESTROOMS & MECHANICAL AREAS NOT INCLUDED IN NET OCCUPANCY AREAS
11. SEE INTERIOR PLANS FOR ADDITIONAL LIFE SAFETY NOTES AS REQUIRED

SITE EVENT NOTES:

1. EVENT TAKES PLACE OUTSIDE IN THE NORTH SIDE OF MALL AREA ADJACENT TO THE 836 EXPRESSWAY. GROSS TOTAL OF 280,280 SQUARE FEET OF ENCLOSED FENCED AREA
2. CARNIVAL AREA EXTERIOR - 1000' X 520' - THE CARNIVAL AREA MAIN AUDIENCE AREA WILL SPREAD OVER ALL AREAS AND ON THE RIDES WITH NET ATTENDEE AREA OF 95,000 SQUARE FEET. WHICH IS NET OF ANY GAMES AND RIDES.
3. SECURITY / TICKET CHECK IN PROCESSING WILL OCCUR FROM MAIN ENTRY AND ALL PERSONS SHALL BE COUNTED ON ENTRY AND EXITING TO CONTROL TOTAL OCCUPANCY AT ONE TIME.
4. GUEST WILL ONLY ENTER FROM GATE 1, TRAVERSE THROUGH NATURAL PATH THROUGH RIDES AND GAMES LOCATED IN (ZONE 1 TO 3) ZONE 4 IS FUTURE USE. ZONE 5 IS FOOD ZONE. ZONE 6 IS SHOWN AS STAFF ONLY BACK OF HOUSE AREA, NO PATRONS
5. GUEST ON AVERAGE WILL STAY ONLY 2.5 TO 4 HOURS PER VISIT.
6. INSIDE BUILDING WILL FEATURE A HAUNTED HOUSE EXHIBIT AND SPECIAL PLANS PROVIDED FOR OCCUPANT AND FIRE CODES FOR THE INTERIOR.
7. ALL AREAS SHALL MAINTAIN AT LEAST MIN OF 15 SF PER PERSON.
8. NO FIXED SEATING IS PROVIDED APART FROM THE MINOR VIEWING AREAS FOR ANY SHOWS FROM SMALL BLEACHERS IF SHOWN ON PLANS.
9. INSPECTOR TO VERIFY BLEACHERS MAXIMUM SEAT BOARD HEIGHT TO BE 48" MAXIMUM WITHOUT APPROVED GUARDRAILS.
10. SECURITY WILL KEEP PATH TO EGRESS CLEAR AT ALL TIMES.
11. ADDITIONAL AREAS ARE AVAILABLE TO GUESTS FOR FOOD, SPONSOR ACTIVATION AND RESTROOMS. NO ADDITIONAL OCCUPANTS LOAD PROVIDED FOR THESE AREAS. (NON SIMULTANEOUS USE)
12. EXISTING MALL SITE AREAS HAS SITE LIGHTING, ADDITIONAL LIGHTING PROVIDED WITH LIGHT TOWERS / POST AS NEEDED AND AT EXITS.
13. EXISTING MALL SITE HAS FIRE HYDRANTS AND ALL OPERATIONAL DURING OCCUPANCY.
14. ALL RIDE AREAS SHALL MAINTAIN SEPARATE USE / OCCUPANT LOADS AS PER DESIGN CAPABILITIES OF THE SPECIFIC RIDE AND SPECIFICATIONS / REFER TO SPECIFIC RIDE DETAILS FOR ADDITIONAL INFO AS NEEDED.
15. ALL FOOD AREAS SHALL COMPLY WITH MIAMI-DADE FOOD COOKING POLICY LISTED ON THIS SHEET FOR REFERENCE.
16. ALL FOOD TRUCKS SHALL COMPLY WITH NOTES LISTED ON PLANS.
17. TEMPORARY ELECTRICAL SHALL COMPLY WITH N.E.C. 525. FOR CARNIVALS, FAIRS AND SIMILAR EVENTS. REFER TO ELECTRICAL CONTRACTOR AFFIDAVIT.
18. SITE HAS EXISTING FIRE HYDRANTS AS SHOWN ON THE PLANS. PROVIDES COVERAGE FOR THE FULL EVENT PATRON AREA, DO NOT OBSTRUCT OR BLOCK.

MIAMI INTERNATIONAL MALL
1625 NW 107 AVENUE
DORAL, FL 33172
FOLIO 35-3032-008-0050



EVENT AREA CALCULATIONS

| | |
|---|-------------------------|
| FENCED EVENT AREA TOTAL | 280,280 FT ² |
| NET AREAS FOR GUESTS (ALL LOCATED ON ASPHALT) | 95,000 FT ² |
| CALCULATED OCCUPANT LOAD ASSEMBLY UN-CONCENTRATED 15 FT ² = | 6,333 PERSONS |
| OCCUPANCY LOAD SET AT 4.000 BASED UPON DESIGN LOADS OF RIDES & SERVICES. ALLOCATES 27 FT ² PER PERSON. | |
| NET EVENT AREA IS 95,000 FT² | |

STRUCTURES:
ALL STRUCTURES SHALL COMPLY WITH ALL CURRENT BUILDING & LIFE SAFETY CODES. PERMITS SHALL BE SUBMITTED WITH THE COUNTY'S BUILDING DEPARTMENT FOR REVIEW IF REQUIRED.

FIRE EXTINGUISHER NOTE:
ALL FIRE EXTINGUISHERS TAGS TO BE CURRENT. LIFE SAFETY EQUIPMENT NEEDS TO BE CHECKED AND SERVICED

CROWD CONTROL MANAGERS:
PROVIDE TRAINED CROWD CONTROL MANAGERS AND / OR SUPERVISOR AT A RATIO OF 1 PER 250 PERSONS AS REQUIRED BY NFPA 101 12.7.6

OCCUPANCY CAPACITY:
ENTRY GATES SHALL BE MONITORED FOR ASSEMBLY COUNTS, AND COORDINATE WITH CROWD CONTROL MANAGERS TO MAINTAIN OCCUPANCY CAPACITIES IN ALL AREAS.

EXIT SIGN NOTE:
ALL EXIT SIGNS SHALL BE 4' X 4' WHITE PAINTED BOARD MOUNTED ON POST AND EXTERNALLY LIT. SEE PLAN FOR LOCATION AND DIRECTION

GENERAL NOTES - FOOD TRUCKS

ECP V3 APPLICABLE CODE: ~ FBC 2023 8 TH EDITION NEC 2020 (NFPA70-NEC)

1. TRUCK MUST HAVE A CURRENT STATE OF FLORIDA DBPR LICENSE FOR MOBILE FOOD SERVICE AND CONCESSIONS.
2. TRUCKS WITH COOKING ON BOARD MUST HAVE VENTILATION HOODS WITH FIRE SUPPRESSION SYSTEMS.
3. THE HOOD SUPPRESSION SYSTEMS MUST HAVE CURRENT SERVICE TAG AND BE IN OPERABLE CONDITION.
4. EACH TRUCK MUST ALSO HAVE PORTABLE FIRE EXTINGUISHERS WITH CURRENT TAG.
5. TRUCKS WITH FRYERS MUST ALSO HAVE A TYPE K EXTINGUISHER ON BOARD WITH CURRENT TAG.
6. ANY FUEL MUST BE STORED OR CARRIED IN AN APPROVED CONTAINER.
7. A MINIMUM OF 10 FEET CLEARANCE IN ALL DIRECTIONS FROM OTHER TRUCKS AND BUILDING ON SAME PROPERTY.
8. A CLEARANCE OF 20 FEET FROM TENTS OR BUILDINGS ON ADJACENT PROPERTIES MUST BE MAINTAINED.
9. TRUCKS SHALL NOT OBSTRUCT FIRE DEPARTMENT ACCESS TO ANY STRUCTURE OR FIRE DEPARTMENT CONNECTION.
10. GENERATORS AND HEAT PRODUCING EQUIPMENT SHALL HAVE BARRIER PROTECTION TO PREVENT BURN INJURIES.
11. TRUCKS MUST HAVE A CO² DETECTOR FOR EMPLOYEES
12. TRUCKS SHALL COMPLY WITH NFPA 1, - SECTION 50.7

GENERAL NOTES - COOKING - SHORT TERM EVENTS

ECP V1 APPLICABLE CODE: ~ FBC 2023 8 TH EDITION NEC 2020 (NFPA70-NEC)

COOKING: ALL OUTDOOR COOKING AT AN EVENT SHALL COMPLY WITH THE FOLLOWING:

1. SHORT TERM EVENT MAY CONTAIN CERTAIN TENTS THAT ARE NOTED AS COOKING TENTS AND THESE TENTS SHALL BE 10 FEET AWAY FROM OTHER TENTS AND ALL OTHER OCCUPIED STRUCTURES. COOKING IN GENERAL SHOULD BE MINIMUM OF 10 FEET AWAY FROM ANY OCCUPIED STRUCTURE IN PARTICULAR IF USED FOR ASSEMBLY
2. ONLY ELECTRIC AND GAS FUELED APPLIANCES SHALL BE PERMITTED. SOLID FUEL BURNING APPLIANCES OR DEVICES UTILIZING BRIQUETTES, HARDWOOD, OR CHARCOAL SHALL NOT BE PERMITTED UNDER A TENT OR CANOPY UNDER ANY CIRCUMSTANCE.
3. FUEL SUPPLIES AND THEIR RELATED HOISING AND/OR ELECTRICAL CORDS SHALL BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH THEIR APPLICABLE NFPA STANDARDS.
4. PROPANE TANKS SHALL BE PLACED 10 FEET AWAY FROM TENT(S) AND SECURED. SMALLER 40LBS TANKS CAN BE MIN 5 FEET
5. FOOD VENDORS WILL HAVE 10 FEET SEPARATION BETWEEN NON COOKING TENTS
6. AT THE TIME OF INSPECTION AND DURING COOKING OPERATIONS THERE SHALL BE AT LEAST ONE (1) CLASS K FIRE EXTINGUISHER AND AT LEAST ONE (1) ABC EXTINGUISHER MOUNTED AT 48" ABOVE FINISHED FLOOR OR GRADE. (ADDITIONAL EXTINGUISHERS MAY BE REQUIRED DEPENDING ON THE APPLIANCES UTILIZED).
7. TRAVEL DISTANCE TO EXTINGUISHERS RATED CLASS K SHALL NOT TO EXCEED 30 FEET. CLASS A = 75 FEET. CLASS B = 30 FEET
8. NO PORTION OF THE TENT / CANOPY SHALL BE ACCESSIBLE TO THE GENERAL PUBLIC.
9. THE TENT / CANOPY SHALL BE OUTFITTED WITH NOT MORE THAN ONE SIDEWALL.
10. EGRESS FROM THE TENT / CANOPY SHALL BE UNOBSTRUCTED AND ACCESSIBLE ON AT LEAST TWO SIDES OF THE STRUCTURE.
11. MAX TRAVEL DISTANCE TO REACH THE OUTSIDE OF THE TENT / CANOPY SHALL NOT EXCEED 20'
12. VENDORS NOT CAPABLE OF COMPLYING TO ABOVE REQUIREMENTS, MUST PROVIDE EXHAUST AND FIRE PROTECTIONS AS PER NFPA 96. FOR ALL EQUIPMENT CAPABLE OF PRODUCING SMOKE OR GREASE LADEN VAPORS.
13. ALL TENT CANOPIES SHALL COMPLY WITH NOTES THIS SHEET AND CURRENT VERSION OF NFPA 101.
14. IF FOOD TRUCKS USED FOR EVENT TRUCKS SHALL BE EQUIPPED WITH AN NFPA 96 CODE COMPLIANT EXHAUST SYSTEM AND FIRE SUPPRESSION SYSTEM WITH A CURRENT INSPECTION TAG AND INSPECTION REPORT. SEE FOOD TRUCK NOTES L3 FOR ADDITIONAL REQUIREMENTS

GENERAL NOTES - TEMPORARY TENTS & CANOPIES

ECP V3 APPLICABLE CODE: ~ FBC 2023 8 TH EDITION NEC 2020 (NFPA70-NEC)

1. TEMPORARY STRUCTURES AND USES SHALL CONFORM TO THE STRUCTURAL STRENGTH, FIRE SAFETY, MEANS OF EGRESS, ACCESSIBILITY, LIGHT, VENTILATION AND SANITARY REQUIREMENTS TO ENSURE PUBLIC HEALTH, SAFETY AND GENERAL WELFARE
2. ALL COMPONENTS OF THE STRUCTURE MUST COMPLY WITH FBC AND NFPA 101 & 102 LESS THAN 180 DAYS
3. INSTALL FIRE EXTINGUISHERS IN ACCORDANCE WITH FLORIDA BUILDING CODE, NFPA OR LOCAL FIRE CODE REQUIREMENTS. PROVIDE (1) ONE TYPE "2A" FIRE EXTINGUISHER FOR EACH 400 SQ. FT., WHERE MOUNTED TOP OF FIRE EXTINGUISHER DOES NOT EXCEED FOUR (4) FEET ABOVE FLOOR. AFTER THE FIRST 1200 SQ. FT. (3) F.E., PROVIDE ONE ADDITIONAL FIRE EXTINGUISHER FOR EACH 1000 SQ. FT.
4. NO PARKING SHALL OCCUR WITHIN 20 FEET OF A TENT, UNLESS UPON A PUBLIC STREET.
5. MATERIAL FLAME SPREAD RATING SHALL MEET CLASS A REQUIREMENTS FOR MEMBRANE STRUCTURES.
6. MINIMUM OF 12 FEET SHALL BE PROVIDED BETWEEN STAKE LINES WHERE MULTIPLE TENTS OCCUR.
7. HVAC EQUIPMENT IF UTILIZED SHALL COMPLY WITH NFPA 102 AND THE AUTHORITY HAVING THE JURISDICTION.
8. PROVIDE "EXIT" SIGN DEMARCATION IN ACCORDANCE WITH THE FLORIDA BUILDING CODE / LOCAL FIRE CODE REQUIREMENTS.
9. INSTALL "NO SMOKING" SIGNAGE IN ACCORDANCE WITH THE FLORIDA BUILDING CODE OR FIRE CODE REQUIREMENTS
10. NO OPEN FLAMES WILL OCCUR IN ANY TENT OR CANOPY.
11. MINIMUM AISLE WIDTH SEATING SHALL BE 44"
12. "STANDBY" FIRE OR INSPECTION SERVICE MAY BE REQUIRED AS REQUIRED BY OPINION OF FIRE CHIEF. (FIRE WATCH)
13. PERMITS REQUIRED FOR STRUCTURES ABOVE 900 SQUARE FEET OR ANY STRUCTURES WITH HAZARDOUS USE OR PROCESS OCCURS SUCH AS (COOKING OPERATIONS). SHALL COMPLY WITH CHAPTER 11 OF NFPA
14. SEE STRUCTURAL DRAWINGS (S.S.D.) FOR ADDITIONAL NOTES NOT SHOWN.

LIFE SAFETY CALCULATIONS

| | | | |
|---|----------------------------------|-------|---------|
| 95,000 | NET SF | 4,000 | MAX OCC |
| ALL AUDIENCE AREAS | | | |
| SQUARE FEET PER PERSON = 15 MIN OK | | | |
| 15 | ABC FIRE EXTINGUISHER | | |
| - | NO SMOKING SIGN (SEE RIDES) | | |
| 6 | EXIT SIGN, 4' X 4', EXTERNAL LIT | | |
| | K TYPE FIRE EXTINGUISHER (FOOD) | | |

EXIT EGRESS CALCULATIONS

| | | |
|-------|----------|--------------------|
| *2" = | 1,266" | Required |
| | 2,040" | Provided OK |
| | 6 | EXITS |

1. COMPLIES WITH NFPA 101 2018 EDITION
2. MAINTAIN 44" BETWEEN ALL ITEMS FOR ADA
3. AREA TOTAL NET ASSEMBLY AREAS IN FENCED
4. SECURITY TO MONITOR EGRESS POINTS
5. SEE AREA CALCULATIONS THIS SHEET
6. EGRESS CAPACITY PROVIDED FOR CALCULATED LOAD
7. CALCULATED LOAD OF NET AREA IS 6,333 PERSONS
8. ADDITIONAL FIRE EXTINGUISHERS LOCATED AT ALL FOOD AREAS AND RIDES AS REQUIRED.
9. K RATED FIRE EXT REQUIRED FOR ALL GREASE LADEN AND COOKING OPERATIONS. SEE FOOD NOTES.
10. SIGNS ADDED 4 x 4 SIZE TO DENOTE PATH OF TRAVEL IF EXITS ARE NOT VISIBLE DIRECT VIEW.

- ### APPLICABLE BUILDING CODES
- 2023 FLORIDA BUILDING CODE, 8 TH EDITION - BUILDING
 - 2023 FLORIDA BUILDING CODE, 8 TH EDITION - ACCESSIBILITY
 - 2023 FLORIDA BUILDING CODE, 8 TH EDITION - PLUMBING
 - 2020 NATIONAL ELECTRIC CODE (N.E.C.)
 - 2021 NFPA, 101 LIFE SAFETY CODE & FLORIDA AMENDMENTS

VICINITY PLAN


TEMPORARY RESTROOMS
54 PORTA POTTIES (6 ADA)
24 HANDWASHING

SEE STRUCTURAL FOR ADDITIONAL NOTES AND DETAILS

EVENT INFO:
DATE: SEPT 26 - OCT 31, 2024
TIME: SEE SCHEDULE
PURPOSE: OUTDOOR CARNIVAL
EXPECTED: 4,000 OCC

SPECIAL EVENT PERMIT PACKAGE
OUTDOOR CARNIVAL
ENGAGE LIVE
MICHELLE VADIA
CONTACT: 786-858-4399

SCOPE OF WORK:
INSTALL TEMPORARY STRUCTURES FOR USE OF SPECIAL EVENTS
INSTALL TEMPORARY GENERATORS
TEMPORARY OCCUPANT LOAD
TEMPORARY RESTROOMS
INSTALL: SEPT 1, 2024 8 AM
REMOVE BY: NOV 30, 2024 11 PM



RESERVED FOR CITY STAMP AREA



HOUSE OF HORROR HAUNTED CARNIVAL 2024
MIAMI INTERNATIONAL MALL
SEPT 26 - OCT 31, 2024



Tel: 305.778.7285
Mike@EventCADplans.com

JAMES DRAGO ARCHITECT
333 NE 24 ST
Boca Raton, FL 33431
Phone: 561-361-7161
Lic# AR009780
James Drago


E-SIGNED

PERMIT SET

ALL OVERSIGHT MUST BE FIELD VERIFIED
NOTIFY EVENT CAD PLANS OF ANY CONFLICTS OR ERRORS IN THE DRAWINGS OR SPECIFICATIONS BEFORE PROCEEDING
THESE DRAWINGS CONTAIN DRAFTING AND DESIGN DATA SPECIFICALLY FOR THE NOTES PROJECT AND CLIENT. THEY ARE NOT INTENDED FOR USE ON EXTENSIONS OF THIS PROJECT OR FOR REUSE ON ANY OTHER PROJECT.
THE COPYING AND/OR MODIFICATION OF THIS DOCUMENT OR ANY PORTION THEREOF WITHOUT THE WRITTEN PERMISSION OF: EVENT CAD PLANS, INC. IS PROHIBITED.

EVENT CAD PLANS
PROJECT ADDRESS
MIAMI INTERNATIONAL MALL
1625 NW 107 AVENUE
DORAL, FL 33172
FOLIO 35-3032-008-0050

SHEET TITLE
LIFE SAFETY COVER PAGE NOTES
HOH 2024 Site R1
DATE: PRINT DATE JOB NO.: 24275
SCALE: SEE SHEET
DRAWN: Mike McLaney SHEET NO.:
EDIT: mike **LS101**



OUTDOOR FULL SITE PLAN SEE SHEET LS103 FOR EVENT AREA ENLARGED SITE

EVENT INFO:
 DATE: SEPT 26 - OCT 31, 2024
 TIME: SEE SCHEDULE
 PURPOSE: OUTDOOR CARNIVAL
 EXPECTED: 4,000 OCC

SPECIAL EVENT PERMIT PACKAGE
 OUTDOOR CARNIVAL
ENGAGE LIVE
 MICHELLE VADIA
 CONTACT: 786-858-4399

SCOPE OF WORK:
 INSTALL TEMPORARY STRUCTURES FOR USE OF SPECIAL EVENTS
 INSTALL TEMPORARY GENERATORS
 TEMPORARY OCCUPANT LOAD
 TEMPORARY RESTROOMS
 INSTALL: SEPT 1, 2024 8 AM
 REMOVE BY: NOV 30, 2024 11 PM

APPLICABLE BUILDING CODES
 • 2023 FLORIDA BUILDING CODE, 8 TH EDITION - BUILDING
 • 2023 FLORIDA BUILDING CODE, 8 TH EDITION - ACCESSIBILITY
 • 2023 FLORIDA BUILDING CODE, 8 TH EDITION - PLUMBING
 • 2020 NATIONAL ELECTRIC CODE (N.E.C)
 • 2021 NFPA, 101 LIFE SAFETY CODE & FLORIDA AMENDMENTS


RESERVED FOR CITY STAMP AREA
ENGAGE LIVE
 CONNECTING THE WORLD TO LIVE EVENTS

HOUSE OF HORROR HAUNTED CARNIVAL 2024
 MIAMI INTERNATIONAL MALL
 SEPT 26 - OCT 31, 2024

Event CAD Plans
 Tel: 305.778.7285
 Mike@EventCADplans.com
JAMES DRAGO ARCHITECT
 333 NE 24 ST
 Boca Raton, FL 33431
 Phone: 561 361-7161
 LIC# AR009780
 JAMES DRAGO

E-SIGNED
PERMIT SET
 ALL DIMENSIONS MUST BE FIELD VERIFIED
 NOTIFY EVENT CAD PLANS OF ANY CONFLICTS OR ERRORS IN THE DRAWINGS OR SPECIFICATIONS BEFORE PROCEEDING
 THESE DRAWINGS CONTAIN DRAFTING AND DESIGN DATA SPECIFICALLY FOR THE NOTED PROJECT AND CLIENT. THEY ARE NOT INTENDED FOR USE ON EXTENSIONS OF THIS PROJECT OR FOR REUSE ON ANY OTHER PROJECT.
 THE COPYING AND/OR MODIFICATION OF THIS DOCUMENT OR ANY PORTION THEREOF WITHOUT THE WRITTEN PERMISSION OF: EVENT CAD PLANS, INC. IS PROHIBITED.
EVENT CAD PLANS
 PROJECT ADDRESS
 MIAMI INTERNATIONAL MALL
 1625 NW 107 AVENUE
 DORAL, FL 33172
 FOLIO 35-3032-008-0050

SHEET TITLE
LIFE SAFETY FULL SITE PLAN
 HOH 2024 Site R1
 DATE: PRINT DATE JOB NO: 24275
 SCALE: SEE SHEET
 DRAWN: Mike McLaney SHEET NO:
 EDIT: mike **LS102**
 © ALL PLAN DATA PROPRIETARY TO EVENT CAD PLANS - EVENT CAD PLANS\PROJECTS\2024\HOUSE OF HORROR\HOH 2024 SITE R1
 7/10/2024 3:40:36 AM



RIDE NAMES MAY VARY OUTDOOR EVENT AREA

THIS ZONE OF CARNIVAL IS WHOLLY LOCATED OUTSIDE SOME GUEST TENT STRUCTURES ARE PROVIDED ENTRANCE. SITE PLANS SHOWS VENDOR AND BAR TENTS ANY TENT LARGER THAN 10 x 10 SHALL REQUIRE A BUILDING PERMIT. SEE SEPARATE STRUCTURAL PLANS

EVENT INFO:

| | |
|-----------|------------------------|
| DATE: | SEPT 26 - OCT 31, 2024 |
| TIME: | SEE SCHEDULE |
| PURPOSE: | OUTDOOR CARNIVAL |
| EXPECTED: | 4,000 OCC |

SPECIAL EVENT PERMIT PACKAGE
OUTDOOR CARNIVAL
ENGAGE LIVE
 MICHELLE VADIA
 CONTACT: 786-858-4399

SCOPE OF WORK:
 INSTALL TEMPORARY STRUCTURES FOR USE OF SPECIAL EVENTS
 INSTALL TEMPORARY GENERATORS
 TEMPORARY OCCUPANT LOAD
 TEMPORARY RESTROOMS
 INSTALL: SEPT 1, 2024 8 AM
 REMOVE BY: NOV 30, 2024 11 PM

QTY / W x L TEMPORARY STRUCTURES

| | | |
|------------------------------------|---------------------------|-----------------|
| 1 | 30 x 30 CANOPY ENTRY TENT | (900 SF) |
| 1 | 10 X 40 CANOPY ENTRY TENT | (.400 SF) |
| TOTAL TENT STRUCTURES (2) | | 1,300 SF |

FABRIC MATERIAL NOTES:
 ALL FABRIC SHALL BE RATED CLASS A. PROVIDE FLAME CERTS AND SAMPLE AS REQUIRED FOR INSPECTION AS NECESSARY.

DJ NOTE:
 RISER FOR DJ ADDED TO PLAN. PROGRAMING PLANNED ON SOME NIGHTS TO ADD WELCOME AMBIENT MUSIC TO ENHANCE GUEST EXPERIENCE. RISER IS 8 X 8 X 24" HIGH

ELECTRICAL NOTE
 ALL ELECTRICAL COMPONENTS USED UNDER THE FOOD AND DISPLAY AREAS SHALL COMPLY WITH THE LATEST NEC 70 CODES & BUILDING CODES AND REGULATIONS.

ELECTRICAL NOTES: (GFCI OUTDOOR)
 ALL OUTDOOR 125VOLT 15 TO 20 AMP OUTLETS SHALL BE GFCI PROTECTED AS PER NEC 210.8 (A)(3)

ELECTRICAL CABLES NOTES:
 ANY / EXTENSION CORDS IN USE FOR EVENT SHALL BE PROTECTED FROM TRIP HAZARDS BY USE OF CABLE RAMPS RACEWAYS.

TIE DOWN CALCS FOR THE STRUCTURES PROVIDED : JAMES P DRAGO ARCHITECT
 DATED AUGUST 2022

RESERVED FOR CITY STAMP AREA

ENGAGE LIVE
 CONNECTING THE WORLD TO LIVE EVENTS

HOUSE OF HORROR HAUNTED CARNIVAL 2024
 MIAMI INTERNATIONAL MALL
 SEPT 26 - OCT 31, 2024

Event CAD Plans
 Tel: 305.778.7285
 Mike@EventCADplans.com

JAMES DRAGO ARCHITECT
 333 NE 24 ST
 Boca Raton, FL 33431
 Phone: 561 361-7161
 LIC# AR009780
 JAMES DRAGO

E-SIGNED
PERMIT SET

ALL DIMENSIONS MUST BE FIELD VERIFIED. NOTIFY EVENT CAD PLANS OF ANY CONFLICTS OR ERRORS IN THE DRAWINGS OR SPECIFICATIONS BEFORE PROCEEDING. THESE DRAWINGS CONTAIN GRAPHING AND DESIGN DATA SPECIFICALLY FOR THE NOTED PROJECT AND CLIENT. THEY ARE NOT INTENDED FOR USE ON EXTENSIONS OF THIS PROJECT OR FOR REUSE ON ANY OTHER PROJECT.

THE COPYING AND/OR MODIFICATION OF THIS DOCUMENT OR ANY PORTION THEREOF WITHOUT THE WRITTEN PERMISSION OF: EVENT CAD PLANS, INC. IS PROHIBITED.

EVENT CAD PLANS
 PROJECT ADDRESS
 MIAMI INTERNATIONAL MALL
 1625 NW 107 AVENUE
 DORAL, FL 33172
 FOLIO 35-3032-008-0050

SHEET TITLE
LIFE SAFETY OUTDOOR EVENT AREA





HOH 2024 Site R1
 DATE: PRINT DATE JOB NO.: 24275
 SCALE: SEE SHEET
 DRAWN: Mike McLaney SHEET NO.:
 EDIT: mike **LS103**

9/10/2024 3:40:41 AM

HOUSE OF HORROR DORAL , FL


**DJ PLATFORM RISER
DECK SYSTEM**
8' DEEP X 8' WIDE X 24" HIGH
MIN 150 PSF LIVE LOAD

STRUCTURE SCHEMATIC PLANS



RISER IS FOR THE USE OF DJ / PERFORMER ONLY, NO AUDIENCE ALLOWED



PLATFORM IS 24" IN HEIGHT RAILINGS REQUIRED ABOVE 30" FROM FINISHED FLOOR



NO STORAGE OF ITEMS UNDER RISER

Event CAD Plans SHT 1 1" = 4 FEET

Riser Schematic 8 X 8 X 24 in High R1.dwg 5/27/2023 4:00 PM



EVENT SUPPORT AREA ZONE 6

RESERVED FOR CITY STAMP AREA



HOUSE OF HORROR HAUNTED
CARNIVAL 2024
MIAMI INTERNATIONAL MALL
SEPT 26 - OCT 31, 2024



Tel: 305.778.7285
Mike@EventCADplans.com

JAMES DRAGO ARCHITECT
333 NE 24 ST
Boca Raton, FL 33431
Phone: 561 361-7161
LIC# AR009780
JAMES DRAGO

PERMIT SET

ALL DIMENSIONS MUST BE FIELD VERIFIED. NOTIFY EVENT CAD PLANS OF ANY CONFLICTS OR ERRORS IN THE DRAWINGS OR SPECIFICATIONS BEFORE PROCEEDING. THESE DRAWINGS CONTAIN DRAFTING AND DESIGN DATA SPECIFICALLY FOR THE NOTED PROJECT AND CLIENT. THEY ARE NOT INTENDED FOR USE ON EXTENSIONS OF THIS PROJECT OR FOR REUSE ON ANY OTHER PROJECT.

EVENT CAD PLANS PROJECT ADDRESS MIAMI INTERNATIONAL MALL 1625 NW 107 AVENUE DORAL, FL 33172 FOLIO 35-3032-008-0050

LIFE SAFETY EVENT SUPPORT AREA

HOH 2024 Site R1
DATE: SEPT 26 - OCT 31, 2024
JOB NO.: 24275
SCALE: SEE SHEET
DRAWN: Mike McLaney
SHEET NO.: LS104
EDIT: mike

EVENT INFO:
DATE: SEPT 26 - OCT 31, 2024
TIME: SEE SCHEDULE
PURPOSE: OUTDOOR CARNIVAL
EXPECTED: 4,000 OCC

SPECIAL EVENT PERMIT PACKAGE
OUTDOOR CARNIVAL
ENGAGE LIVE
MICHELLE VADIA
CONTACT: 786-858-4399

SCOPE OF WORK:
INSTALL TEMPORARY STRUCTURES FOR USE OF SPECIAL EVENTS
INSTALL TEMPORARY GENERATORS
TEMPORARY OCCUPANT LOAD
TEMPORARY RESTROOMS
INSTALL: SEPT 1, 2024 8 AM
REMOVE BY: NOV 30, 2024 11 PM